

## SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

### SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name : THANYL 22  
Product code : 07050-07051.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Arterial fluid, saturates internal organs, protects.  
Professional use

#### 1.3. Details of the supplier of the safety data sheet

Registered company name : HYGECO.  
Address : 20 Boulevard de la Muette - BP 64.95142.GARGES-LES-GONESSE CEDEX.FRANCE.  
Telephone : +33 (0) 1 34 53 40 60. Fax : +33 (0) 1 39 86 34 00.  
info@hygeco.com

#### 1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA <http://www.centres-antipoison.net>.

### SECTION 2 : HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

##### In compliance with EC regulation No. 1272/2008 and its amendments.

Flammable liquid, Category 3 (Flam. Liq. 3, H226).  
Acute oral toxicity, Category 3 (Acute Tox. 3, H301).  
Acute dermal toxicity, Category 3 (Acute Tox. 3, H311).  
Acute inhalation toxicity, Category 2 (Acute Tox. 2, H330).  
Skin irritation, Category 2 (Skin Irrit. 2, H315).  
Eye irritation, Category 2 (Eye Irrit. 2, H319).  
Skin sensitisation, Category 1A (Skin Sens. 1A, H317).  
Germ cell mutagenicity, Category 2 (Muta. 2, H341).  
Carcinogenicity, Category 1B (Carc. 1B, H350).  
Specific target organ toxicity (single exposure), Category 1 (STOT SE 1, H370).  
Specific target organ toxicity (single exposure), Category 3 (STOT SE 3, H335).  
This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

#### 2.2. Label elements

Biocidal mixture (see section 15).

##### In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS02



GHS06



GHS08

Signal Word :

DANGER

Product identifiers :

EC 200-659-6           METHANOL  
EC 200-001-8         FORMALDEHYDE

Additional labeling :

For professional use only.

## THANYL 22 - 07050-07051

## Hazard statements :

H226	Flammable liquid and vapour.
H301 + H311	Toxic if swallowed or in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects .
H350	May cause cancer .
H370	Causes damage to organs (if inhaled, if swallowed, in contact with skin).

## Precautionary statements - Prevention :

P201	Obtain special instructions before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P284	[In case of inadequate ventilation] wear respiratory protection.

## Precautionary statements - Response :

P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/attention.
P310	Immediately call a POISON CENTER or a doctor.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

## Precautionary statements - Disposal :

P501	Dispose of contents/container in accordance with regulations
------	--

## Other information :

**2.3. Other hazards**

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC)  $\geq 0.1\%$  published by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

**SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS****3.2. Mixtures****Composition :**

Identification	(EC) 1272/2008	Note	%
CAS: 67-56-1 EC: 200-659-6 REACH: 01 2119433307 44  METHANOL	GHS06, GHS08, GHS02 Dgr Flam. Liq. 2, H225 Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 3, H331 STOT SE 1, H370	[1]	25 $\leq$ x % < 50
CAS: 50-00-0 EC: 200-001-8 REACH: 01 2119488953 20  FORMALDEHYDE	GHS06, GHS05, GHS08 Dgr Acute Tox. 4, H302 Acute Tox. 3, H311 Skin Corr. 1B, H314 Skin Sens. 1A, H317 Acute Tox. 2, H330 STOT SE 3, H335 Muta. 2, H341 Carc. 1B, H350	B D [1] [2]	10 $\leq$ x % < 25

(Full text of H-phrases: see section 16)

**THANYL 22 - 07050-07051****Information on ingredients :**

- [1] Substance for which maximum workplace exposure limits are available.
- [2] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

**SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

**4.1. Description of first aid measures****In the event of exposure by inhalation :**

In the event of massive inhalation, remove the person exposed to fresh air. Keep warm and at rest.

Do not proceed with mouth-to-mouth or mouth-to-nose resuscitation. Use the appropriate equipment.

**In the event of splashes or contact with eyes :**

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

Remove contact lenses if the person in door and i they can be easily removed. Continue to rinse eyes under the tap water.

**In the event of splashes or contact with skin :**

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Remove any soiled or splashed clothing immediately.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

**In the event of swallowing :**

Do not give the patient anything orally.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

**4.2. Most important symptoms and effects, both acute and delayed**

No data available.

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available.

**SECTION 5 : FIREFIGHTING MEASURES**

Flammable.

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

**5.1. Extinguishing media**

Keep packages near the fire cool, to prevent pressurised containers from bursting.

**Suitable methods of extinction**

In the event of a fire, use :

- sprayed water or water mist
- water with AFFF (Aqueous Film Forming Foam) additive
- halon
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO<sub>2</sub>)

Prevent the effluent of fire-fighting measures from entering drains or waterways.

**Unsuitable methods of extinction**

In the event of a fire, do not use :

- water jet

**5.2. Special hazards arising from the substance or mixture**

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)

The product can emit poison gases (carbon monoxide, hydrogenates) during the thermal decomposition of products.

### 5.3. Advice for firefighters

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

## SECTION 6 : ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For non first aid worker

Because of the organic solvents contained in the mixture, eliminate sources of ignition and ventilate the area.

Avoid inhaling the vapors.

Avoid any contact with the skin and eyes.

If a large quantity has been spilt, evacuate all personnel and only allow intervention by trained operators equipped with safety apparatus.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

If the ground is contaminated, once the product has been recovered by sponging with an inert and non-combustible absorbent material, wash the contaminated area in plenty of water.

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

Refer to Section 7 - Handling and storage.

Refer to Section 8 - Exposure Controls and Personal Protection.

Refer to Section 13 - Disposal considerations.

## SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

#### Fire prevention :

Handle in well-ventilated areas.

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Prevent access by unauthorised personnel.

#### Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Do not inhale vapours.

Provide vapor extraction at the emission source and also general ventilation of the premises.

In all cases, recover emissions at source.

Avoid skin and eye contact with this mixture.

Avoid exposure - obtain special instructions before use.

Packages which have been opened must be reclosed carefully and stored in an upright position.

#### Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep the container in a well ventilated place

#### Storage

Keep away from food and drink, including those for animals.

Keep well away from all sources of ignition, heat and direct sunlight.

Avoid accumulation of electrostatic charges.

## THANYL 22 - 07050-07051

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

**Packaging**

Always keep in packaging made of an identical material to the original.

**7.3. Specific end use(s)**

Please refer to paragraph 1 concerning the use of the product.

**SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1. Control parameters****Occupational exposure limits :**

- European Union (2017/2398, 2017/164, 2009/161, 2006/15/CE, 2000/39/CE, 98/24/CE) :

CAS	VME-mg/m3 :	VME-ppm :	VLE-mg/m3 :	VLE-ppm :	Notes :
67-56-1	260	200	-	-	Peau

- France (INRS - ED984 :2016) :

CAS	VME-ppm :	VME-mg/m3 :	VLE-ppm :	VLE-mg/m3 :	Notes :	TMP No :
67-56-1	200	260	1000	1300	(12)	84
50-00-0	0,5	-	1	-	C3	43

- UK / WEL (Workplace exposure limits, EH40/2005, 2011) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
67-56-1	200 ppm 266 mg/m <sup>3</sup>	250 ppm 333 mg/m <sup>3</sup>		Sk	
50-00-0	2 ppm 2,5 mg/m <sup>3</sup>	2 ppm 2,5 mg/m <sup>3</sup>			

**Derived no effect level (DNEL) or derived minimum effect level (DMEL):**

FORMALDEHYDE ...% (CAS: 50-00-0)

**Final use:**

Exposure method:  
Potential health effects:  
DNEL :

**Workers.**

Dermal contact.  
Long term systemic effects.  
240 mg/kg body weight/day

Exposure method:  
Potential health effects:  
DNEL :

Dermal contact.  
Long term local effects.  
0.037 mg of substance/cm<sup>2</sup>

Exposure method:  
Potential health effects:  
DNEL :

Inhalation.  
Short term local effects.  
1 mg of substance/m<sup>3</sup>

Exposure method:  
Potential health effects:  
DNEL :

Inhalation.  
Long term systemic effects.  
9 mg of substance/m<sup>3</sup>

Exposure method:  
Potential health effects:  
DNEL :

Inhalation.  
Long term local effects.  
0.5 mg of substance/m<sup>3</sup>

**Final use:**

Exposure method:  
Potential health effects:  
DNEL :

**Consumers.**

Ingestion.  
Long term systemic effects.  
4.1 mg/kg body weight/day

Exposure method:  
Potential health effects:  
DNEL :

Dermal contact.  
Long term systemic effects.  
102 mg/kg body weight/day

Exposure method:  
Potential health effects:

Dermal contact.  
Long term local effects.

## THANYL 22 - 07050-07051

DNEL : 0.012 mg of substance/cm2

Exposure method: Inhalation.  
Potential health effects: Long term systemic effects.  
DNEL : 3.2 mg of substance/m3

Exposure method: Inhalation.  
Potential health effects: Long term local effects.  
DNEL : 0.1 mg of substance/m3

## METHANOL (CAS: 67-56-1)

**Final use:**

Exposure method: **Workers.**  
Potential health effects: Dermal contact.  
DNEL : Short term systemic effects.  
40 mg/kg body weight/day

Exposure method: Dermal contact.  
Potential health effects: Long term systemic effects.  
DNEL : 40 mg/kg body weight/day

Exposure method: Inhalation.  
Potential health effects: Short term systemic effects.  
DNEL : 260 mg of substance/m3

Exposure method: Inhalation.  
Potential health effects: Short term local effects.  
DNEL : 260 mg of substance/m3

Exposure method: Inhalation.  
Potential health effects: Long term systemic effects.  
DNEL : 260 mg of substance/m3

Exposure method: Inhalation.  
Potential health effects: Long term local effects.  
DNEL : 260 mg of substance/m3

**Final use:**

Exposure method: **Consumers.**  
Potential health effects: Ingestion.  
DNEL : Short term systemic effects.  
8 mg/kg body weight/day

Exposure method: Ingestion.  
Potential health effects: Long term systemic effects.  
DNEL : 8 mg/kg body weight/day

Exposure method: Dermal contact.  
Potential health effects: Short term systemic effects.  
DNEL : 8 mg/kg body weight/day

Exposure method: Dermal contact.  
Potential health effects: Long term systemic effects.  
DNEL : 8 mg/kg body weight/day

Exposure method: Inhalation.  
Potential health effects: Short term systemic effects.  
DNEL : 50 mg of substance/m3

Exposure method: Inhalation.  
Potential health effects: Long term local effects.

**THANYL 22 - 07050-07051**

DNEL :	50 mg of substance/m <sup>3</sup>
Exposure method:	Inhalation.
Potential health effects:	Long term systemic effects.
DNEL :	50 mg of substance/m <sup>3</sup>
Exposure method:	Inhalation.
Potential health effects:	Short term local effects.
DNEL :	50 mg of substance/m <sup>3</sup>

**Predicted no effect concentration (PNEC):**

FORMALDEHYDE ...% (CAS: 50-00-0)	
Environmental compartment:	Soil.
PNEC :	0.21 mg/kg
Environmental compartment:	Fresh water.
PNEC :	0.47 mg/l
Environmental compartment:	Sea water.
PNEC :	0.47 mg/l
Environmental compartment:	Intermittent waste water.
PNEC :	4.7 mg/l
Environmental compartment:	Fresh water sediment.
PNEC :	2.44 mg/kg
Environmental compartment:	Marine sediment.
PNEC :	2.44 mg/kg
Environmental compartment:	Waste water treatment plant.
PNEC :	0.19 mg/l
METHANOL (CAS: 67-56-1)	
Environmental compartment:	Soil.
PNEC :	23.5 mg/kg
Environmental compartment:	Fresh water.
PNEC :	154 mg/l
Environmental compartment:	Sea water.
PNEC :	15.4 mg/l
Environmental compartment:	Intermittent waste water.
PNEC :	1540 mg/l
Environmental compartment:	Fresh water sediment.
PNEC :	570.4 mg/kg
Environmental compartment:	Waste water treatment plant.
PNEC :	100 mg/l

**8.2. Exposure controls****Personal protection measures, such as personal protective equipment**

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

**THANYL 22 - 07050-07051****- Eye / face protection**

Avoid contact with eyes.

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

**- Hand protection**

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)
- Neoprene® (Polychloroprene)
- Impervious gloves in accordance with standard EN374

**- Body protection**

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

Wear suitable protective clothing and, in particular, an apron and boots. These items of clothing shall be maintained in good condition and cleaned after use.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

**- Respiratory protection**

Avoid breathing vapours.

When workers are confronted with concentrations that are above occupational exposure limits, they must wear a suitable, approved, respiratory protection device.

Anti-gas and vapour filter(s) (Combined filters) in accordance with standard EN14387 :

- A1 (Brown)
- A3 (Brown)
- A2 (Brown)

**SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES****9.1. Information on basic physical and chemical properties****General information :**

Physical state :	Fluid liquid.
Color:	Colorless.
Odour:	aldehyd

**Important health, safety and environmental information**

pH :	Not relevant.
Boiling point/boiling range :	Not relevant.
Flash Point Interval :	23°C <= FP <= 55°C
Vapour pressure (50°C) :	Below 110 kPa (1.10 bar).
Density :	< 1
Water solubility :	Soluble.
Melting point/melting range :	Not relevant.
Self-ignition temperature :	Not relevant.
Decomposition point/decomposition range :	Not relevant.



## THANYL 22 - 07050-07051

**9.2. Other information**

No data available.

**SECTION 10 : STABILITY AND REACTIVITY****10.1. Reactivity**

The mixture is stable under handling and storage normal conditions.

**10.2. Chemical stability**

This mixture is stable under the recommended handling and storage conditions in section 7.

**10.3. Possibility of hazardous reactions**

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

**10.4. Conditions to avoid**

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

Avoid :

- accumulation of electrostatic charges.
- heating
- heat
- flames and hot surfaces
- frost

**10.5. Incompatible materials**

The oxidizing agents

**10.6. Hazardous decomposition products**

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)
- hydrogen chloride (HCl)

**SECTION 11 : TOXICOLOGICAL INFORMATION****11.1. Information on toxicological effects**

Toxic if swallowed.

Toxic in contact with the skin.

Fatal by inhalation.

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.

Splashes in the eyes may cause irritation and reversible damage

Respiratory tract irritation may occur, together with symptoms such as coughing, choking and breathing difficulties.

May cause an allergic reaction by skin contact.

Presumed human carcinogen.

Cause for concern owing to the possibility that it may induce heritable mutations in the germ cells of humans.

Causes damage to organs.

**11.1.1. Substances****Acute toxicity :**

FORMALDEHYDE ...% (CAS: 50-00-0)

Oral route :

LD50 = 640 mg/kg

Species : Rat

Dermal route :

LD50 = 270 mg/kg

Species : Rabbit

Inhalation route (Gas) :

LC50 = 463 ppm

Duration of exposure : 4 h

**11.1.2. Mixture****Acute toxicity :**

N/A

**THANYL 22 - 07050-07051**

Acute Tox 2 H330 : fatal if inhaled.

**Skin corrosion/skin irritation :**

Causes skin irritation. Skin Irrit 2. H315.

**Serious damage to eyes/eye irritation :**

Eye Irrit 2 : cause serious eye irritation. H319.

**Respiratory or skin sensitisation :**

May cause an allergic skin reaction. Skin sensitisation H317.

**Germ cell mutagenicity :**

Muta.2. H341 : Suspected of causing genetic defects.

**Carcinogenicity :**

Carc.1B. H350 : May cause cancer.

**Reproductive toxicant :**

On the basis of the available data, classification criteria are not reached.

**Specific target organ systemic toxicity - single exposure :**

Causes damage to organs. STOT SE1 H370. STOT SE 3 H335.

STOT SE 3. H335 : May cause respiratory irritation.

**Specific target organ systemic toxicity - repeated exposure :**

On the basis of the available data, classification criteria are not reached.

**Aspiration hazard :**

On the basis of the available data, classification criteria are not reached.

**SECTION 12 : ECOLOGICAL INFORMATION****12.1. Toxicity****12.1.1. Substances**

FORMALDEHYDE ...% (CAS: 50-00-0)

Fish toxicity :

LC50 = 41 mg/l

Species : Brachydanio rerio

Duration of exposure : 96 h

Crustacean toxicity :

EC50 = 5.8 mg/l

Species : Daphnia pulex

Duration of exposure : 48 h

Algae toxicity :

ECr50 = 5.8 mg/l

Species : Desmodesmus subspicatus

Duration of exposure : 72 h

**12.1.2. Mixtures**

The mixture is not classified dangerous for environment in accordance with the CLP1272/2008 rules.

**12.2. Persistence and degradability****12.2.1. Substances**

FORMALDEHYDE ...% (CAS: 50-00-0)

Biodegradability :

Rapidly degradable.

METHANOL (CAS: 67-56-1)

Biodegradability :

Rapidly degradable.

**12.3. Bioaccumulative potential**

No data available.

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment**

No data available.

## THANYL 22 - 07050-07051

**12.6. Other adverse effects**

No data available.

**SECTION 13 : DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

**13.1. Waste treatment methods**

Do not pour into drains or waterways.

**Waste :**

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

**Soiled packaging :**

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

**SECTION 14 : TRANSPORT INFORMATION**

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2017 - IMDG 2016 - ICAO/IATA 2017).

**14.1. UN number**

1992

**14.2. UN proper shipping name**

UN1992=FLAMMABLE LIQUID, TOXIC, N.O.S.

(methanol, formaldehyde ...%)

**14.3. Transport hazard class(es)**

- Classification :



3+6.1

**14.4. Packing group**

III

**14.5. Environmental hazards**

-

**14.6. Special precautions for user**

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	3	FT1	III	3+6.1	36	5 L	274	E1	3	D/E

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ
	3	6.1	III	5 L	F-E,S-D	223 274	E1

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	3	6.1	III	355	60 L	366	220 L	A3	E1
	3	6.1	III	Y343	2 L	-	-	A3	E1

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

No data available.

**SECTION 15 : REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****- Classification and labelling information included in section 2:**

The following regulations have been used:

- Regulation (EC) n°1272/2008 and adaptations.

## THANYL 22 - 07050-07051

**- Container information:**

No data available.

**Usage restrictions apply to the product : See annex XVII of EC regulation No. 1907/2006.**

For professional users only.

**- Particular provisions :**

No data available.

**- Labelling for biocidal products (Regulation 1896/2000, 1687/2002, 2032/2003, 1048/2005, 1849/2006, 1451/2007 and Directive 98/8/EC) :**

Name	CAS	%	Product-type
FORMALDEHYDE ...%	50-00-0	227.7 g/kg	22

**- Standardised American system for the identification of hazards presented by the product in view of emergency procedures (NFPA 704) :**

NFPA 704, Labelling: Health=4 Inflammability=2 Instability/Reactivity=1 Specific Risk=none

**15.2. Chemical safety assessment**

No data available.

**SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

**UPDATING :**

To be translated (XML)

**Wording of the phrases mentioned in section 3 :**

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects .
H350	May cause cancer .
H370	Causes damage to organs .

**Abbreviations :**

DNEL : Derived No-Effect Level

PNEC : Predicted No-Effect Concentration

CMR: Carcinogenic, mutagenic or reprotoxic.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

GHS02 : Flame

GHS06 : Skull and crossbones

GHS08 : Health hazard

**THANYL 22 - 07050-07051**

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.